

Short Paper

Assessing the Impact of a Virtual Reality Cognitive Intervention on Tennis Performance in Junior Tennis Players: Pilot Study

Joaquin A Anguera¹, PhD; Aleem Choudhry², BS, MBA; Michael Seaman², BS, MBA; Dominick Fedele², BS

¹Neuroscape, Department of Neurology and Psychiatry, Weill Institute for Neurosciences, University of California, San Francisco, San Francisco, CA, United States

²Mastermind Sports, Naperville, IL, United States

Corresponding Author:

Joaquin A Anguera, PhD

Neuroscape

Department of Neurology and Psychiatry, Weill Institute for Neurosciences

University of California, San Francisco

675 Nelson Rising Lane

San Francisco, CA, 94158

United States

Phone: 1 415 702 4322

Email: joaquin.anguera@ucsf.edu

Abstract

Background: There is evidence that cognitive training interventions can positively impact executive functions, and that some studies have demonstrated that athletes typically exhibit greater accuracy and faster response times on select cognitive tasks. While the engagement of executive functions is suggested to be part of high-level sporting activities, it is unclear whether such training approaches could directly benefit athletic performance.

Objective: The objective of this study was to evaluate the impact of a combined virtual reality (VR)– and tablet-based cognitive training intervention on adolescent tennis players' performance. Here, we examined differences in Universal Tennis Rating (UTR) between players who supplemented their regular tennis training with a cognitive training intervention and a group that continued regular tennis training alone. This custom cognitive training program targeted specific cognitive control abilities including attention, working memory, and goal management.

Methods: Data were collected from a cohort of tennis players in a randomized controlled trial design led by the dedicated research team. Participants (N=23, age: mean 14.8, SD 2.4 years) from the Czech Lawn Tennis Klub (Prague, Czech Republic) were invited to participate in this study. These individuals were randomized into an intervention + training-as-usual group (n=13) or training-as-usual group (control group; n=10), with the change in UTR score being the primary metric of interest.

Results: There was no difference in UTR between the 2 groups at baseline (intervention: mean 8.32, SD 2.7; control: mean 7.60, SD 2.3). Following the treatment period, individuals in the intervention group showed a significant improvement in their UTR (an increase of 0.5; $t_{12}=4.88$, $P<.001$) unlike the control group (an increase of 0.02; $t_9=1.77$, $P=.12$). On comparing the change in UTR (posttraining UTR minus pretraining UTR) attained by each group, we found that the intervention group had a 38% greater improvement in UTR than the control group. An analysis of covariance revealed a significantly greater improvement in UTR for the intervention group than for the control group ($F_{1,20}=8.82$, $P=.008$).

Conclusions: The present findings suggest that training cognitive abilities through an immersive visual platform may benefit athletic performance, including tennis. Such a result warrants careful consideration, given the known difficulties in evidencing far transfer not only in cognitive studies but also in athletic activities. These preliminary pilot findings suggest that the Mastermind Cognitive Training program may be a viable tool for supplementing athletic training practices, although this result warrants further investigation and replication. However, many questions remain unanswered, and further work is needed to better understand the potential utility and mechanisms underlying potential effects of such a platform.

(JMIR Form Res 2025;9:e66979) doi: [10.2196/66979](https://doi.org/10.2196/66979)

KEYWORDS

executive function; serious games; cognitive training; performance enhancement; athletes; sport; pilot study; VR; virtual reality; serious game; tennis; adolescents; teenagers; youth; randomized controlled trial; players

Introduction

The engagement of cognitive control abilities, defined here as attention, working memory, and multitasking [1], is thought to be a critical part of high-level athletic performance. This idea stems from research showing that both amateur and elite athletes typically exhibit greater accuracy and faster response times on select cognitive tasks [2,3], and that one's underlying cognitive abilities can predict future athletic achievement [4-6]. However, the existing literature on whether enhancing these abilities through cognitive training can improve athletic performance is limited [7-9]. Numerous examples in the cognitive training literature provide reasons why so-called "far transfer" (eg, the ability to apply learning from one context to a different, dissimilar context [10]) is rarely observed [11,12]. However, those positive findings following the use of specific cognitive training platforms suggest that such an approach could possibly be beneficial [13-16]. Such positive effects have been observed in those platforms using closed-loop algorithms, an approach that changes the level of difficulty on a trial-by-trial basis to challenge a given individual appropriately for a given training experience [1,17-19]. This approach has shown generalizable benefits to not only untrained tasks assessing cognitive abilities (including attention, working memory, and multitasking) [16,20-24] but also so-called "real-world" constructs including mood [14,15,25-27] and even academic abilities [28]. Here, we describe the preliminary findings of a proof-of-concept randomized controlled study involving advanced adolescent tennis players who supplemented their regular tennis training with a cognitive training intervention in comparison to a group that continued regular tennis training alone.

Methods

Ethical Considerations

For this project, all study procedures were conducted in accordance with protocols approved by the Fakultní Nemocnice Brno (Brno, Czech Republic; 14-110123/EK). Participant assent

and parental consent were obtained prior to study participation in person by the study team. All study data were deidentified to ensure privacy and confidentiality protections were in place. No compensation was given for participating in this study.

Participants

A total of 59 tennis players (age: mean 16.7, SD 3.6 years; 34 male) from the Czech Lawn Tennis Klub (Prague, Czech Republic) were invited to participate in this study (and provided a full overview of the study procedures and time requirements). See [Multimedia Appendix 1](#) for more details.

Intervention

The Mastermind Cognitive Training program used a virtual reality (VR) headset (Oculus Quest 2 by Meta) to deliver a custom cognitive training program targeting specific cognitive control abilities including attention, working memory, and goal management. The VR component comprised 3 modules, each focusing on a different aspect of cognitive control: a multiple object-tracking module aimed at engaging attention (with increasing distraction), a spatial span module to engage working memory, and a visual search module with task switching requirements to engage multitasking abilities. In each case, participants used VR hand-held controllers ([Figure 1A](#)) to respond to stimuli presented in a video game-like environment, in some cases "shooting" specific target stimuli while avoiding others ([Figure 1B](#)), or trying to catch certain colored targets in a given order stimuli while avoiding nontargets ([Figure 1C](#)). Each module was adaptive, adjusting task difficulty based on performance. In addition, participants completed 20 minutes of tablet-based training (iPad) on tasks related to rhythmic timing (where participants were asked to tap on the screen to the beat of music being played [28-31]; [Figure 1D](#)). The intervention group was asked to complete 24 program sessions over the course of 10 weeks, with each session consisting of 15 minutes of VR exercises and 20 minutes of tablet-based exercises, totaling approximately 14 hours of training. See [Multimedia Appendix 1](#) for more details.

Figure 1. The Mastermind Cognitive Training program. (A) Participant training during the Mastermind Cognitive Training program using virtual reality. Participants were tennis players from the Czech Lawn Tennis Klub (Prague, Czech Republic) who trained between January and November 2023. Participants used VR hand-held controllers to respond to stimuli presented in a video game-like environment, in some cases “shooting” specific target stimuli while avoiding others or trying to catch certain colored targets in a given order stimuli while avoiding nontargets. (B) the virtual reality attention module. (C) The virtual reality multitasking module. (D) The tablet rhythm training module where participants tapped in a rhythmic fashion to stimuli presented on the screen.

A)



B)



C)



D)




Measure

The primary outcome measure was the change in Universal Tennis Rating (UTR), a scale from 1.00 (eg, a beginner player) to 16.50 (eg, a professional player; for context, the current #1 player in the world is rated 16.05), which promotes fair and competitive play [32]. Each player's UTR was collected before training and after the completion of the 24-session training period, which an interassessment interval of approximately 4 months. See [Multimedia Appendix 1](#) for more details about this measure.


Results

Of the 59 consenting individuals, 9 withdrew upon learning of the study requirements, 15 failed to complete the stipulated training schedule and posttraining assessments due to scheduling conflicts with travel and academic commitments, 8 opted out due to moving out of the area or changing tennis clubs, and 4 discontinued participation due to unrelated injuries requiring physical rehabilitation. Thus, the final sample that completed the stipulated training and outcome assessments consisted of 23 participants: 13 in the intervention group (3 female, aged

mean 15.0, SD 2.4) and 10 (7 female, aged mean 14.6, SD 2.5) in the training-as-usual group (see [Figure 2](#) for the CONSORT [Consolidated Standards of Reporting Trials] diagram and [Multimedia Appendix 2](#) for CONSORT checklist). To test for training effects on UTR ([Table 1](#)), we conducted an analysis of covariance (ANCOVA) with posttraining UTR as the dependent variable, pretraining UTR as the covariate, and the group as the fixed factor as in our previous work [14,20,33,34]. The analysis revealed a significant group difference in UTR improvement over time ($F_{1,20}=8.82$, $P=.008$; [Figure 3](#)), indicating that the UTR of the intervention group improved significantly more than that of the control group. On comparing the change in UTR (posttraining UTR minus pretraining UTR) attained by each group, the intervention group had a 38% greater improvement in UTR than the control group. Post hoc analysis of the within-group changes in UTR using 2-tailed, paired-samples t tests for each group separately to test for significant differences between each testing session revealed a significant improvement by the intervention group (increase of 0.50; $t_{12}=4.88$, $P<.001$) unlike the control group (increase of 0.20; $t_9=1.77$, $P=.12$). Critically, there was no difference in UTR at baseline between the 2 groups (independent-samples t test: $t_{21}=.68$, $P=.50$).

Figure 2. CONSORT (Consolidated Standards of Reporting Trials) flow diagram.**Table 1.** Universal Tennis Rating (UTR) by group and timepoint.

	Pretraining UTR, mean (SD)	Posttraining UTR, mean (SD)	Change (posttraining UTR–pretraining UTR)
Intervention	8.32 (2.7)	8.83 (2.4)	0.50 (0.37)
Treatment-as-usual	7.60 (2.3)	7.79 (2.2)	0.20 (0.37)

Figure 3. Universal Tennis Rating (UTR) by group. The UTR is a scale from 1.00 (eg, a beginning player) to 16.50 (eg, a professional player), which promotes fair and competitive play. Each player's UTR was recorded before training and after the completion of the 24-session training period (approximately 4 months). Posttraining UTR scores for the intervention and training-as-usual groups visualized via a raincloud plot with difference-adjusted 95% CIs of the mean. An analysis of covariance (controlling for pretraining performance) revealed that the improvement observed by the intervention group was significantly greater than that of the training-as-usual group ($F_{1,20}=8.82$, $P=.008$).

Discussion

Principal Findings

The primary goal of this proof-of-concept pilot study was to investigate the effects of the Mastermind Cognitive Training program in adolescent tennis players. These findings suggest that supplementing regular training with cognitive training can lead to meaningful improvements in real-world athletic performance. It has been suggested that visual-based training (including the use of VR and/or tablet platforms) is more likely to benefit trained athletes than novices [35]. Indeed, this theory has empirical support: “real-world” improvements have been observed, including performance in college-level baseball players [36,37] as well as table tennis performance [38] when coupling such training with their regular sports training [38]. In conjunction with those studies, the present findings suggest that training cognitive abilities through an immersive visual platform may benefit performance on athletic endeavors, including tennis. Such a result warrants careful consideration, given the known difficulties in evidencing far transfer not just in cognitive studies, but especially in athletic activities [7]. That said, our findings do align with those of the few positive studies demonstrating that cognitive training can result in some form of on-field improvements [8,9]. See [Multimedia Appendix 1](#) for a further discussion of practical considerations.

Limitations

Several limitations should be considered with the present findings. First, the most important factor to consider with this study is the small sample size, especially considering the large number of individuals who did not complete the study. It should be noted that this study was not designed to be anything more

than a pilot study intended to gauge the feasibility of implementing the Mastermind Cognitive Training program following the unexpected opportunity to work with adolescent tennis players. Future work must involve a larger trial of participants to replicate these findings to provide supporting evidence for the present interpretations. Second, the very real possibility exists that participation in the intervention generated a placebo effect through the novel use of a VR platform. Given the pervasive problem of placebo effects in such work [39], it is critical that future endeavors account for these effects in a carefully designed manner. Finally, it is unknown what aspect of the training program led to the improvement in UTR. The absence of cognitive control outcome measures to assess whether, and to what extent, this training program led to cognitive changes hinders a deeper understanding of what possibly drove the differential improvement in UTR. Future work is warranted to better understand the potential underlying mechanisms driving such change.

Conclusions

This exploratory proof-of-concept study investigated the potential benefits of a novel cognitive intervention platform in a sample of healthy adolescent tennis athletes. It represents the first step toward a number of data-driven studies demonstrating the utility and benefits of the use of this platform. These pilot findings suggest that this platform may be beneficial for adolescent tennis athletes looking to improve their sporting performance by supplementing their existing training protocols with a targeted cognitive training experience. However, many questions remain unanswered, and further work is needed to better understand the potential utility and mechanisms underlying potential effects of such a platform.

Acknowledgments

We would like to thank the participants from the Czech Lawn Tennis Klub, their coaches, and their families for being a part of this study. We thank C Gallen for her insights with the study design and suggestions regarding data preprocessing, C Walsh for providing suggestions for the manuscript, and P Wais and T Zanto for insights on figure creation and use. Note that no generative artificial intelligence was used in any portion of the manuscript writing.

Data Availability

The datasets generated during and/or analyzed during this study are available from the corresponding author upon reasonable request.

Authors' Contributions

Conceptualization and design: JAA, MS, AC, and DF

Data collection: AC

Data processing and analysis: JAA and AC

Writing—original draft: JAA

Writing—review and editing: JAA, MS, AC, and DF

Conflicts of Interest

JAA is a paid consultant for MasterMind Sports, MS and DF are employees of MasterMind Sports. AC is a board member of MasterMind Sports.

Multimedia Appendix 1

Additional material.

[\[DOCX File , 22 KB-Multimedia Appendix 1\]](#)

Multimedia Appendix 2

CONSORT-EHEALTH (V 1.6.1) checklist.

[\[PDF File \(Adobe PDF File\), 2950 KB-Multimedia Appendix 2\]](#)

References

1. Anguera JA, Gazzaley A. Video games, cognitive exercises, and the enhancement of cognitive abilities. *Curr Opin Behav Sci.* Aug 2015;4:160-165. [doi: [10.1016/j.cobeha.2015.06.002](#)]
2. Mann D, Williams AM, Ward P, Janelle CM. Perceptual-cognitive expertise in sport: a meta-analysis. *J Sport Exerc Psychol.* Aug 2007;29(4):457-478. [doi: [10.1123/jsep.29.4.457](#)] [Medline: [17968048](#)]
3. Voss MW, Kramer AF, Basak C, Prakash RS, Roberts B. Are expert athletes 'expert' in the cognitive laboratory? A meta - analytic review of cognition and sport expertise. *Appl Cogn Psychol.* Jun 17, 2009;24(6):812-826. [doi: [10.1002/acp.1588](#)]
4. Vestberg T, Gustafson R, Maurex L, Ingvar M, Petrovic P. Executive functions predict the success of top-soccer players. *PLoS One.* Apr 4, 2012;7(4):e34731. [FREE Full text] [doi: [10.1371/journal.pone.0034731](#)] [Medline: [22496850](#)]
5. Vestberg T, Reinebo G, Maurex L, Ingvar M, Petrovic P. Core executive functions are associated with success in young elite soccer players. *PLoS One.* Feb 8, 2017;12(2):e0170845. [FREE Full text] [doi: [10.1371/journal.pone.0170845](#)] [Medline: [28178738](#)]
6. Mangine G, Hoffman JR, Wells AJ, Gonzalez AM, Rogowski JP, Townsend JR, et al. Visual tracking speed is related to basketball-specific measures of performance in NBA players. *J Strength Cond Res.* Sep 2014;28(9):2406-2414. [doi: [10.1519/JSC.0000000000000550](#)] [Medline: [24875429](#)]
7. Walton CC, Keegan RJ, Martin M, Hallock H. The potential role for cognitive training in sport: more research needed. *Front Psychol.* Jul 3, 2018;9:1121. [FREE Full text] [doi: [10.3389/fpsyg.2018.01121](#)] [Medline: [30018585](#)]
8. Romeas T, Guldner A, Faubert J. 3D-Multiple Object Tracking training task improves passing decision-making accuracy in soccer players. *Psychol Sport Exerc.* Jan 2016;22:1-9. [doi: [10.1016/j.psychsport.2015.06.002](#)]
9. Hirao T, Masaki H. Modulation of spatial attentional allocation by computer-based cognitive training during lacrosse shooting performance. *Front Psychol.* Jan 4, 2017;8:2271. [FREE Full text] [doi: [10.3389/fpsyg.2017.02271](#)] [Medline: [29354085](#)]
10. Sala G, Gobet F. Cognitive training does not enhance general cognition. *Trends Cogn Sci.* Jan 2019;23(1):9-20. [doi: [10.1016/j.tics.2018.10.004](#)] [Medline: [30471868](#)]
11. Zelinski EM. Far transfer in cognitive training of older adults. *Restor Neurol Neurosci.* Jan 01, 2009;27(5):455-471. [doi: [10.3233/rnn-2009-0495](#)]
12. Simons DJ, Boot WR, Charness N, Gathercole SE, Chabris CF, Hambrick DZ, et al. Do "Brain-Training" programs work? *Psychol Sci Public Interest.* Oct 2016;17(3):103-186. [doi: [10.1177/1529100616661983](#)] [Medline: [27697851](#)]
13. Anguera JA, Brandes-Aitken AN, Antovich AD, Rolle CE, Desai SS, Marco EJ. A pilot study to determine the feasibility of enhancing cognitive abilities in children with sensory processing dysfunction. *PLoS One.* Apr 5, 2017;12(4):e0172616. [FREE Full text] [doi: [10.1371/journal.pone.0172616](#)] [Medline: [28380008](#)]
14. Anguera JA, Gunning FM, Areán PA. Improving late life depression and cognitive control through the use of therapeutic video game technology: A proof-of-concept randomized trial. *Depress Anxiety.* Jun 03, 2017;34(6):508-517. [FREE Full text] [doi: [10.1002/da.22588](#)] [Medline: [28052513](#)]
15. Arean PA, Hallgren KA, Jordan JT, Gazzaley A, Atkins DC, Heagerty PJ, et al. The use and effectiveness of mobile apps for depression: results from a fully remote clinical trial. *J Med Internet Res.* Dec 20, 2016;18(12):e330. [FREE Full text] [doi: [10.2196/jmir.6482](#)] [Medline: [27998876](#)]
16. Ziegler DA, Simon AJ, Gallen CL, Skinner S, Janowich JR, Volponi JJ, et al. Closed-loop digital meditation improves sustained attention in young adults. *Nat Hum Behav.* Jul 03, 2019;3(7):746-757. [FREE Full text] [doi: [10.1038/s41562-019-0611-9](#)] [Medline: [31160812](#)]
17. Mishra J, Gazzaley A. Closed-loop cognition: the next frontier arrives. *Trends Cogn Sci.* May 2015;19(5):242-243. [FREE Full text] [doi: [10.1016/j.tics.2015.03.008](#)] [Medline: [25818939](#)]
18. Mishra J, Anguera J, Gazzaley A. Video games for neuro-cognitive optimization. *Neuron.* Apr 20, 2016;90(2):214-218. [FREE Full text] [doi: [10.1016/j.neuron.2016.04.010](#)] [Medline: [27100194](#)]
19. Mishra J, Anguera JA, Ziegler DA, Gazzaley A. A cognitive framework for understanding and improving interference resolution in the brain. *Prog Brain Res.* 2013;207:351-377. [FREE Full text] [doi: [10.1016/B978-0-444-63327-9.00013-8](#)] [Medline: [24309262](#)]
20. Anguera JA, Volponi JJ, Simon AJ, Gallen CL, Rolle CE, Anguera-Singla R, et al. Integrated cognitive and physical fitness training enhances attention abilities in older adults. *NPJ Aging.* Aug 30, 2022;8(1):12. [FREE Full text] [doi: [10.1038/s41514-022-00093-y](#)] [Medline: [36042247](#)]

21. Mishra J, Sagar R, Parveen S, Kumaran S, Modi K, Maric V, et al. Closed-loop digital meditation for neurocognitive and behavioral development in adolescents with childhood neglect. *Transl Psychiatry*. May 18, 2020;10(1):153. [FREE Full text] [doi: [10.1038/s41398-020-0820-z](https://doi.org/10.1038/s41398-020-0820-z)] [Medline: [32424253](https://pubmed.ncbi.nlm.nih.gov/32424253/)]
22. Mishra J, de Villers-Sidani E, Merzenich M, Gazzaley A. Adaptive training diminishes distractibility in aging across species. *Neuron*. Dec 03, 2014;84(5):1091-1103. [FREE Full text] [doi: [10.1016/j.neuron.2014.10.034](https://doi.org/10.1016/j.neuron.2014.10.034)] [Medline: [25467987](https://pubmed.ncbi.nlm.nih.gov/25467987/)]
23. Rolle CE, Anguera JA, Skinner SN, Voytek B, Gazzaley A. Enhancing spatial attention and working memory in younger and older adults. *J Cogn Neurosci*. Sep 2017;29(9):1483-1497. [FREE Full text] [doi: [10.1162/jocn_a_01159](https://doi.org/10.1162/jocn_a_01159)] [Medline: [28654361](https://pubmed.ncbi.nlm.nih.gov/28654361/)]
24. Wais PE, Arioli M, Anguera-Singla R, Gazzaley A. Virtual reality video game improves high-fidelity memory in older adults. *Sci Rep*. Jan 28, 2021;11(1):2552. [FREE Full text] [doi: [10.1038/s41598-021-82109-3](https://doi.org/10.1038/s41598-021-82109-3)] [Medline: [33510315](https://pubmed.ncbi.nlm.nih.gov/33510315/)]
25. Gunning FM, Anguera JA, Victoria LW, Areán PA. A digital intervention targeting cognitive control network dysfunction in middle age and older adults with major depression. *Transl Psychiatry*. May 04, 2021;11(1):269. [FREE Full text] [doi: [10.1038/s41398-021-01386-8](https://doi.org/10.1038/s41398-021-01386-8)] [Medline: [33947831](https://pubmed.ncbi.nlm.nih.gov/33947831/)]
26. Pratap A, Homiar A, Waninger L, Herd C, Suver C, Volponi J, et al. Real-world behavioral dataset from two fully remote smartphone-based randomized clinical trials for depression. *Sci Data*. Aug 27, 2022;9(1):522. [FREE Full text] [doi: [10.1038/s41597-022-01633-7](https://doi.org/10.1038/s41597-022-01633-7)] [Medline: [36030226](https://pubmed.ncbi.nlm.nih.gov/36030226/)]
27. Pratap A, Renn BN, Volponi J, Mooney SD, Gazzaley A, Arean PA, et al. Using mobile apps to assess and treat depression in Hispanic and Latino populations: fully remote randomized clinical trial. *J Med Internet Res*. Aug 09, 2018;20(8):e10130. [FREE Full text] [doi: [10.2196/10130](https://doi.org/10.2196/10130)] [Medline: [30093372](https://pubmed.ncbi.nlm.nih.gov/30093372/)]
28. Zanto TP, Giannakopoulou A, Gallen CL, Ostrand AE, Younger JW, Anguera-Singla R, et al. Digital rhythm training improves reading fluency in children. *Dev Sci*. May 09, 2024;27(3):e13473. [FREE Full text] [doi: [10.1111/desc.13473](https://doi.org/10.1111/desc.13473)] [Medline: [38193394](https://pubmed.ncbi.nlm.nih.gov/38193394/)]
29. Johnson V, Hsu W, Ostrand AE, Gazzaley A, Zanto TP. Multimodal sensory integration: Diminishing returns in rhythmic synchronization. *J Exp Psychol Hum Percept Perform*. Oct 2020;46(10):1077-1087. [doi: [10.1037/xhp0000833](https://doi.org/10.1037/xhp0000833)] [Medline: [32730071](https://pubmed.ncbi.nlm.nih.gov/32730071/)]
30. Nandi B, Ostrand A, Johnson V, Ford TJ, Gazzaley A, Zanto TP. Musical training facilitates exogenous temporal attention via delta phase entrainment within a sensorimotor network. *J Neurosci*. Mar 28, 2023;43(18):3365-3378. [doi: [10.1523/jneurosci.0220-22.2023](https://doi.org/10.1523/jneurosci.0220-22.2023)]
31. Zanto TP, Padgaonkar NT, Nourishad A, Gazzaley A. A tablet-based assessment of rhythmic ability. *Front Psychol*. Nov 1, 2019;10:2471. [FREE Full text] [doi: [10.3389/fpsyg.2019.02471](https://doi.org/10.3389/fpsyg.2019.02471)] [Medline: [31736843](https://pubmed.ncbi.nlm.nih.gov/31736843/)]
32. How UTR Rating Works. UTR Sports. 2023. URL: <https://www.utrsports.net/blogs/news/how-utr-works> [accessed 2024-09-25]
33. Anguera JA, Boccanfuso J, Rintoul JL, Al-Hashimi O, Faraji F, Janowich J, et al. Video game training enhances cognitive control in older adults. *Nature*. Sep 05, 2013;501(7465):97-101. [FREE Full text] [doi: [10.1038/nature12486](https://doi.org/10.1038/nature12486)] [Medline: [24005416](https://pubmed.ncbi.nlm.nih.gov/24005416/)]
34. Hsu W, Rowles W, Anguera JA, Zhao C, Anderson A, Alexander A, et al. Application of an adaptive, digital, game-based approach for cognitive assessment in multiple sclerosis: observational study. *J Med Internet Res*. Jan 20, 2021;23(1):e24356. [FREE Full text] [doi: [10.2196/24356](https://doi.org/10.2196/24356)] [Medline: [33470940](https://pubmed.ncbi.nlm.nih.gov/33470940/)]
35. Wilkins L, Gray R. Effects of stroboscopic visual training on visual attention, motion perception, and catching performance. *Percept Mot Skills*. Aug 01, 2015;121(1):57-79. [doi: [10.2466/22.25.pms.121c11x0](https://doi.org/10.2466/22.25.pms.121c11x0)]
36. Deveau J, Ozer DJ, Seitz AR. Improved vision and on-field performance in baseball through perceptual learning. *Curr Biol*. Feb 17, 2014;24(4):R146-R147. [FREE Full text] [doi: [10.1016/j.cub.2014.01.004](https://doi.org/10.1016/j.cub.2014.01.004)] [Medline: [24556432](https://pubmed.ncbi.nlm.nih.gov/24556432/)]
37. Clark JF, Ellis JK, Bench J, Khoury J, Graman P. High-performance vision training improves batting statistics for University of Cincinnati baseball players. *PLoS One*. Jan 19, 2012;7(1):e29109. [FREE Full text] [doi: [10.1371/journal.pone.0029109](https://doi.org/10.1371/journal.pone.0029109)] [Medline: [22276103](https://pubmed.ncbi.nlm.nih.gov/22276103/)]
38. Rezaee M, Ghasemi A, Momeni M. Visual and athletic skills training enhance sport performance. *Eur J Exp Biol*. 2012;2(6):2243-2250. [FREE Full text]
39. Boot WR, Simons DJ, Stothart C, Stutts C. The pervasive problem with placebos in psychology: why active control groups are not sufficient to rule out placebo effects. *Perspect Psychol Sci*. Jul 09, 2013;8(4):445-454. [doi: [10.1177/1745691613491271](https://doi.org/10.1177/1745691613491271)] [Medline: [26173122](https://pubmed.ncbi.nlm.nih.gov/26173122/)]

Abbreviations

ANCOVA: analysis of covariance

CONSORT: Consolidated Standards of Reporting Trials

UTR: Universal Tennis Rating

VR: virtual reality

Edited by A Mavragani; submitted 02.10.24; peer-reviewed by OR Runswick; comments to author 31.10.24; revised version received 08.01.25; accepted 16.01.25; published 07.02.25

Please cite as:

Anguera JA, Choudhry A, Seaman M, Fedele D

Assessing the Impact of a Virtual Reality Cognitive Intervention on Tennis Performance in Junior Tennis Players: Pilot Study

JMIR Form Res 2025;9:e66979

URL: <https://formative.jmir.org/2025/1/e66979>

doi: [10.2196/66979](https://doi.org/10.2196/66979)

PMID: [39918854](https://pubmed.ncbi.nlm.nih.gov/39918854/)

©Joaquin A Anguera, Aleem Choudhry, Michael Seaman, Dominick Fedele. Originally published in JMIR Formative Research (<https://formative.jmir.org>), 07.02.2025. This is an open-access article distributed under the terms of the Creative Commons Attribution License (<https://creativecommons.org/licenses/by/4.0/>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work, first published in JMIR Formative Research, is properly cited. The complete bibliographic information, a link to the original publication on <https://formative.jmir.org>, as well as this copyright and license information must be included.